



**TOPSCIENCE 众山**



# **L-Ascorbic Acid 2-Glucoside**

**Material Submission Code:  
004104-00507-6011**

**SHANDONG TOPSCIENCE BIOTECH CO., LTD.**

Address: #98 Lanshan West Road, Lanshan District,  
Rizhao, Shandong, China

Tel: +86-532-80821298

E-mail: [sales@topscience.cn](mailto:sales@topscience.cn)

Website: [www.topscience.cn](http://www.topscience.cn)

**QINGDAO TRONGEN BIOTECH CO., LTD.**

Address: #330 Songling Road, Laoshan District,  
Qingdao, Shandong, China

Tel: +86-532-80821298

E-mail: [sales@trongenbio.com](mailto:sales@trongenbio.com)

Website: [www.topscience.cn](http://www.topscience.cn)




INCI NAME: ASCORBYL GLUCOSIDE

MOLECULAR WEIGHT: 338.26

MOLECULAR FORMULA:  $C_{12}H_{18}O_{11}$

RECOMMENDED DOSAGE: 0.1%~2%



## PRODUCT FEATURES



L-Ascorbic Acid 2-Glucoside is a kind of natural Vitamin C containing stable glucose stabilizers.



L-Ascorbic Acid 2-Glucoside has good stability and solubility in solution. It can essentially inhibit discoloration and degradation of Vitamin C in cosmetics while retaining all the biological activity of Vitamin C.




L-Ascorbic Acid 2-Glucoside can desalinate pigment and reduce the pigmentation of senile spots and freckles; Brighten skin tone, delaying aging, protecting the skin in sunscreen products.




## EFFICACY TEST

### 01 L-Ascorbic Acid 2-Glucoside Can Stimulate Collagen Synthesis




The results showed that compared with the control group, the L-Ascorbic Acid 2-Glucoside group had a greater stimulating effect on collagen synthesis, which could stimulate collagen synthesis and delay aging.


### 02 L-Ascorbic Acid 2-Glucoside Inhibits Melanin Synthesis



The results showed that both L-Ascorbic Acid 2-Glucoside and Vitamin C have the effect of inhibiting melanin synthesis, and the inhibitory effect of L-Ascorbic Acid 2-Glucoside is better than that of Vitamin C.



Blank Group



Experimental Group

The results showed that both L-Ascorbic Acid 2-Glucoside and Vitamin C could inhibit melanin synthesis. And the inhibitory effect of L-Ascorbic Acid 2-Glucoside is superior to that of Vitamin C.



## APPLICATIONS

Mainly applied in cosmetics, such as lotions, creams, and sunscreens.



## PACKAGE AND STORAGE

- 1kg/bag or 5kg/bag, pharmaceutical low density polyethylene bag with outer aluminum foil bag.
2. In an airtight container, protected from light and humidity, 2-8°C.